

Update tot 07-05-2020

1. **Recommendations for the admission of patients with COVID-19 to intensive care and intermediate care units (ICUs and IMCUs).** Swiss Medical Weekly. 2020;150(13).
2. **A single center observational study of the clinical characteristics and short-term outcome of 20 kidney transplant patients admitted for SARS-CoV2 pneumonia.** Alberici F, Delbarba E, Manenti C, Econimo L, Valerio F, Pola A, et al. Kidney international. 2020. <http://dx.doi.org/10.1016/j.kint.2020.04.002>.
3. **Novel Percutaneous Tracheostomy for Critically Ill Patients with COVID-19.** Angel L, Kon ZN, Chang SH, Rafeq S, Shekar SP, Mitzman B, et al. The Annals of thoracic surgery. 2020. <http://dx.doi.org/10.1016/j.athoracsur.2020.04.010>.
4. **Outcomes of COVID-19 in 79 patients with IBD in Italy: an IG-IBD study.** Bezzio C, Saibeni S, Variola A, Allocca M, Massari A, Gerardi V, et al. Gut. 2020. <http://dx.doi.org/10.1136/gutjnl-2020-321411>.
5. **SARSCoV-2 infection and the upper limbs deep vein thrombosis risk.** Bozzani A, Arici V, Franciscone MM, Danesino V, Cascina A, Ticozzelli G, et al. Annals of vascular surgery. 2020. <http://dx.doi.org/10.1016/j.avsg.2020.04.037>.
6. **Consensus statement: Safe Airway Society principles of airway management and tracheal intubation specific to the COVID-19 adult patient group.** Brewster DJ, Chrimes N, Do TB, Fraser K, Groombridge CJ, Higgs A, et al. The Medical journal of Australia. 2020. <http://dx.doi.org/10.5694/mja2.50598>.
7. **Coronaviruses: Facts, Myths, and Hypotheses.** Carbone M, Green JB, Bucci EM, Lednický JA. Journal of Thoracic Oncology. 2020;15(5):675-8.
8. **Clinical characteristics of 145 patients with corona virus disease 2019 (COVID-19) in Taizhou, Zhejiang, China.** Chen Q, Zheng Z, Zhang C, Zhang X, Wu H, Wang J, et al. Infection. 2020. <http://dx.doi.org/10.1007/s15010-020-01432-5>.
9. **Clinical characteristics of 113 deceased patients with coronavirus disease 2019: Retrospective study.** Chen T, Wu D, Chen H, Yan W, Yang D, Chen G, et al. The BMJ. 2020;368.
10. **Epidemiology and clinical features of coronavirus disease 2019 in children.** Choi SH, Kim HW, Kang JM, Kim DH, Cho EY. Korean Journal of Pediatrics. 2020;63(4):125-32.
11. **Respiratory conditions in coronavirus disease 2019 (COVID-19): Important considerations regarding novel treatment strategies to reduce mortality.** Geier MR, Geier DA. Medical Hypotheses. 2020;140.
12. **A Patient with COVID-19 Disease in a Referral Hospital in Iran: A Typical Case.** Ghiasvand F, Miandoab SZ, Harandi H, Golestan FS, Alinaghi SAS. Infectious disorders drug targets. 2020. <http://dx.doi.org/10.2174/1871526520666200429115535>.
13. **A fourteen-day experience with coronavirus disease 2019 (COVID-19) induced acute respiratory distress syndrome (ARDS): An Iranian treatment protocol.** Jamaati H, Dastan F, Tabarsi P, Marjani M, Saffaei A, Hashemian SM. Iranian Journal of Pharmaceutical Research. 2020;19(1):31-6.
14. **Association of Obesity with Disease Severity among Patients with COVID-19.** Kalligeros M, Shehadeh F, Mylona EK, Benitez G, Beckwith CG, Chan PA, et al. Obesity (Silver Spring, Md). 2020. <http://dx.doi.org/10.1002/oby.22859>.
15. **German recommendations for critically ill patients with COVID-19.** Kluge S, Janssens U, Welte T, Weber-Carstens S, Marx G, Karagiannidis C. Medizinische Klinik - Intensivmedizin und Notfallmedizin. 2020.

16. **[COVID-19 : Intensive care management]**. Krahenbuhl M, Oddo M, Piquilloud L, Pantet O. *Revue medicale suisse*. 2020;16:863-8.
17. **Indian society of anaesthesiologists (ISA national) advisory and position statement regarding COVID-19**. Malhotra N, Joshi M, Datta R, Bajwa S, Mehdiratta L. *Indian Journal of Anaesthesia*. 2020;64(4):259-63.
18. **Mental Health Services in Lombardy during COVID-19 outbreak**. Percudani M, Corradin M, Moreno M, Indelicato A, Vita A. *Psychiatry Research*. 2020;288.
19. **Clinical phenotypes of SARS-CoV-2: Implications for clinicians and researchers**. Rello J, Storti E, Belliato M, Serrano R. *The European respiratory journal*. 2020. <http://dx.doi.org/10.1183/13993003.01028-2020>.
20. **COVID-19 in Children: Clinical Approach and Management**. Sankar J, Dhochak N, Kabra SK, Lodha R. *Indian J Pediatr*. 2020. <http://dx.doi.org/10.1007/s12098-020-03292-1>.
21. **Novel coronavirus disease (Covid-19) in children**. Tezer H, Bedir Demirdağ T. *Turkish Journal of Medical Sciences*. 2020;50:592-603.
22. **Neuraxial anaesthesia and peripheral nerve blocks during the COVID-19 pandemic: a literature review and practice recommendations**. Uppal V, Sondekoppam RV, Landau R, El-Boghdadly K, Narouze S, Kalagara HKP. *Anaesthesia*. 2020. <http://dx.doi.org/10.1111/anae.15105>.
23. **CLINICAL CHARACTERISTICS OF 28 PATIENTS WITH DIABETES AND COVID-19 IN WUHAN, CHINA**. Wang F, Yang Y, Dong K, Yan Y, Zhang S, Ren H, et al. *Endocrine practice : official journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists*. 2020. <http://dx.doi.org/10.4158/EP-2020-0108>.
24. **Unique epidemiological and clinical features of the emerging 2019 novel coronavirus pneumonia (COVID-19) implicate special control measures**. Wang Y, Wang Y, Chen Y, Qin Q. *Journal of Medical Virology*. 2020;92(6):568-76.
25. **Effective treatment of severe COVID-19 patients with tocilizumab**. Xu X, Han M, Li T, Sun W, Wang D, Fu B, et al. *Proc Natl Acad Sci U S A*. 2020. <http://dx.doi.org/10.1073/pnas.2005615117>.
26. **Characteristics, treatment, outcomes and cause of death of invasively ventilated patients with COVID-19 ARDS in Milan, Italy**. Zangrillo A, Beretta L, Scandroglio AM, Monti G, Fominskiy E, Colombo S, et al. *Critical care and resuscitation : journal of the Australasian Academy of Critical Care Medicine*. 2020.
27. **The novel coronavirus (COVID-19) pneumonia with negative detection of viral ribonucleic acid from nasopharyngeal swabs: a case report**. Zhang P, Cai Z, Wu W, Peng L, Li Y, Chen C, et al. *BMC Infect Dis*. 2020;20(1):317. <http://dx.doi.org/10.1186/s12879-020-05045-z>.
28. **Epidemiological, clinical characteristics of cases of SARS-CoV-2 infection with abnormal imaging findings**. Zhang X, Cai H, Hu J, Lian J, Gu J, Zhang S, et al. *International Journal of Infectious Diseases*. 2020;94:81-7.

Update tot 30-04-2020

1. **The outbreak of Coronavirus Disease 2019 (COVID-19)—An emerging global health threat.** Arshad Ali S, Baloch M, Ahmed N, Arshad Ali A, Iqbal A. *Journal of Infection and Public Health.* 2020;13(4):644-6.
2. **Use of non-invasive ventilation for patients with COVID-19: a cause for concern?** Arulkumaran N, Brealey D, Howell D, Singer M. *The Lancet Respiratory medicine.* 2020. [http://dx.doi.org/10.1016/S2213-2600\(20\)30181-8](http://dx.doi.org/10.1016/S2213-2600(20)30181-8).
3. **Essential care of critical illness must not be forgotten in the COVID-19 pandemic.** Baker T, Schell CO, Petersen DB, Sawe H, Khalid K, Mndolo S, et al. *The Lancet.* 2020;395(10232):1253-4.
4. **Point-of-Care Lung Ultrasound findings in novel coronavirus disease-19 pneumoniae: A case report and potential applications during COVID-19 outbreak.** Buonsenso D, Piano A, Raffaelli F, Bonadia N, de Gaetano Donati K, Franceschi F. *European Review for Medical and Pharmacological Sciences.* 2020;24(5):2776-80.
5. **Early Self-Proneing in Awake, Non-intubated Patients in the Emergency Department: A Single ED's Experience during the COVID-19 Pandemic.** Caputo ND, Strayer RJ, Levitan R. *Academic emergency medicine : official journal of the Society for Academic Emergency Medicine.* 2020. <http://dx.doi.org/10.1111/acem.13994>.
6. **Obesity is associated with severe forms of COVID-19.** Caussy C, Wallet F, Laville M, Disse E. *Obesity (Silver Spring, Md).* 2020. <http://dx.doi.org/10.1002/oby.22842>.
7. **Clinical consensus recommendations regarding non-invasive respiratory support in the adult patient with acute respiratory failure secondary to SARS-CoV-2 infection.** Cinesi Gómez C, Peñuelas Rodríguez Ó, Luján Torné M, Egea Santaolalla C, Masa Jiménez JF, García Fernández J, et al. *Medicina Intensiva.* 2020.
8. **Eculizumab treatment in patients with COVID-19: preliminary results from real life ASL Napoli 2 Nord experience.** Diurno F, Numis FG, Porta G, Cirillo F, Maddaluno S, Ragozzino A, et al. *European review for medical and pharmacological sciences.* 2020;24(7):4040-7. http://dx.doi.org/10.26355/eurrev_202004_20875.
9. **Respiratory Support in Novel Coronavirus Disease (COVID-19) Patients, with a Focus on Resource-Limited Settings.** Dondorp AM, Hayat M, Aryal D, Beane A, Schultz MJ. *The American journal of tropical medicine and hygiene.* 2020. <http://dx.doi.org/10.4269/ajtmh.20-0283>.
10. **COVID-19 in a patient with long-term use of glucocorticoids: A study of a familial cluster.** Han Y, Jiang M, Xia D, He L, Lv X, Liao X, et al. *Clinical Immunology.* 2020;214.
11. **Efficacy of glutathione therapy in relieving dyspnea associated with COVID-19 pneumonia: A report of 2 cases.** Horowitz RI, Freeman PR, Bruzzese J. *Respiratory medicine case reports.* 2020;101063. <http://dx.doi.org/10.1016/j.rmcr.2020.101063>.
12. **Recommendations for intensive care therapy of patients with COVID-19.** Kluge S, Janssens U, Welte T, Weber-Carstens S, Marx G, Karagiannidis C. *Atemwegs- und Lungenkrankheiten.* 2020;46(4):245-8.
13. **[Airway management of coronavirus-infected patients].** Laszlo I, Molnar C, Koszta G, Vegh T, Fabian A, Berhes M, et al. *Orvosi hetilap.* 2020;161(17):696-703. <http://dx.doi.org/10.1556/650.2020.31811>.
14. **Respiratory physiotherapy in patients with COVID-19 infection in acute setting: A Position Paper of the Italian Association of Respiratory Physiotherapists (ARIR).** Lazzeri M, Lanza A, Bellini R, Bellofiore A, Cecchetto S, Colombo A, et al. *Monaldi Archives for Chest Disease.* 2020;90(1):163-8.
15. **Potential effect of blood purification therapy in reducing cytokine storm as a late complication of critically ill COVID-19.** Ma J, Xia P, Zhou Y, Liu Z, Zhou X, Wang J, et al. *Clinical Immunology.* 2020;214.

16. **Unlikely SARS-CoV-2 vertical transmission from mother to child: A case report.** Peng Z, Wang J, Mo Y, Duan W, Xiang G, Yi M, et al. *Journal of Infection and Public Health*. 2020.
17. **COVID-19 in Solid Organ Transplant Recipients: Initial Report from the US Epicenter.** Pereira MR, Mohan S, Cohen DJ, Husain SA, Dube GK, Ratner LE, et al. *American journal of transplantation : official journal of the American Society of Transplantation and the American Society of Transplant Surgeons*. 2020. <http://dx.doi.org/10.1111/ajt.15941>.
18. **[Position Paper for the State of the Art Application of Respiratory Support in Patients with COVID-19 - German Respiratory Society].** Pfeifer M, Ewig S, Voshaar T, Randerath W, Bauer T, Geiseler J, et al. *Pneumologie (Stuttgart, Germany)*. 2020. <http://dx.doi.org/10.1055/a-1157-9976>.
19. **Helmet CPAP to Treat Acute Hypoxemic Respiratory Failure in Patients with COVID-19: A Management Strategy Proposal.** Radovanovic D, Rizzi M, Pini S, Saad M, Chiumello DA, Santus P. *Journal of clinical medicine*. 2020;9(4). <http://dx.doi.org/10.3390/jcm9041191>.
20. **High-flow nasal cannula may be no safer than non-invasive positive pressure ventilation for COVID-19 patients.** Remy KE, Lin JC, Verhoef PA. *Crit Care*. 2020;24(1):169. <http://dx.doi.org/10.1186/s13054-020-02892-9>.
21. **Presenting Characteristics, Comorbidities, and Outcomes Among 5700 Patients Hospitalized With COVID-19 in the New York City Area.** Richardson S, Hirsch JS, Narasimhan M, Crawford JM, McGinn T, Davidson KW, et al. *Jama*. 2020. <http://dx.doi.org/10.1001/jama.2020.6775>.
22. **COVID-19 pandemic: Palliative care for elderly and frail patients at home and in residential and nursing homes.** Roland K, Markus M. *Swiss Medical Weekly*. 2020;150(13).
23. **Review on the global epidemiological situation and the efficacy of chloroquine and hydroxychloroquine for the treatment of COVID-19.** Saqrane S, El Mhammedi MA. *New Microbes and New Infections*. 2020;35.
24. **Patient self-proning with high-flow nasal cannula improves oxygenation in COVID-19 pneumonia.** Slessarev M, Cheng J, Ondrejicka M, Arntfield R. *Canadian journal of anaesthesia = Journal canadien d'anesthesie*. 2020. <http://dx.doi.org/10.1007/s12630-020-01661-0>.
25. **Recommendation of a practical guideline for safe tracheostomy during the COVID-19 pandemic.** Takhar A, Walker A, Tricklebank S, Wyncoll D, Hart N, Jacob T, et al. *European archives of oto-rhino-laryngology : official journal of the European Federation of Oto-Rhino-Laryngological Societies (EUFOS) : affiliated with the German Society for Oto-Rhino-Laryngology - Head and Neck Surgery*. 2020. <http://dx.doi.org/10.1007/s00405-020-05993-x>.
26. **Emergency Caesarean delivery in a patient with confirmed COVID-19 under spinal anaesthesia.** Xia H, Zhao S, Wu Z, Luo H, Zhou C, Chen X. *British Journal of Anaesthesia*. 2020;124(5):e216-e8.

Literatuuroverzicht tot 23-04-2020

1. **[Conventional respiratory support therapy for Severe Acute Respiratory Infections (SARI): Clinical indications and nosocomial infection prevention and control].** Zhonghua jie he he hu xi za zhi = Zhonghua jiehe he huxi zazhi = Chinese journal of tuberculosis and respiratory diseases. 2020;43:E015.
<http://dx.doi.org/10.3760/cma.j.issn.1001-0939.2020.0015>.
2. **[Expert consensus on preventing nosocomial transmission during respiratory care for critically ill patients infected by 2019 novel coronavirus pneumonia].** Zhonghua jie he he hu xi za zhi = Zhonghua jiehe he huxi zazhi = Chinese journal of tuberculosis and respiratory diseases. 2020;17:E020.
<http://dx.doi.org/10.3760/cma.j.issn.1001-0939.2020.0020>.
3. **Slowly adapting strtech receptors upregulate mixed cough responses in the rabbit.** Abdou C, On S, Demoulin B, Ruckebusch O, Leblanc AL, Bertin N, et al. European Respiratory Journal. 2012;40.
4. **Serologic Follow-up of Middle East Respiratory Syndrome Coronavirus Cases and Contacts - Abu Dhabi, United Arab Emirates.** Al Hosani FI, Kim L, Khudhair A, Pham H, Al Mulla M, Al Bandar Z, et al. Clinical Infectious Diseases. 2019;68(3):409-18.
5. **A novel coronavirus outbreak from Wuhan City in China, rapid need for emergency departments preparedness and response; a letter to editor.** Alavi-Moghaddam M. Archives of Academic Emergency Medicine. 2020;8(1).
6. **SAT-028 ACUTE KIDNEY INJURY ASSOCIATED WITH MIDDLE EAST RESPIRATORY SYNDROME CORONAVIRUS (MERS-CoV) INFECTION.** Alkindi F, Boobes Y, Chandrasekhar Nair S, Hashmey R. Kidney International Reports. 2020;5(3):S13.
7. **Clinical features and outcomes of patients with Middle East respiratory syndrome requiring admission to a Saudi intensive care unit: A retrospective analysis of 31 cases.** Almekhlafi G, Sakr Y. Critical Care. 2016;20.
8. **Presentation and outcome of Middle East respiratory syndrome in Saudi intensive care unit patients.** Almekhlafi GA, Albarrak MM, Mandourah Y, Hassan S, Alwan A, Abudayah A, et al. Critical Care. 2016;20(1).
9. **Noninvasive ventilation in critically ill patients with the Middle East respiratory syndrome.** Alraddadi BM, Qushmaq I, Al-Hameed FM, Mandourah Y, Almekhlafi GA, Jose J, et al. Influenza and other Respiratory Viruses. 2019;13(4):382-90.
10. **Clinical course and outcomes of critically ill patients with the middle east respiratory syndrome coronavirus (MERS-CoV) infection.** Arabi YM, AlArifi A, Balkhy HH, Najm H, Aldawood A, Ghabashi A, et al. American Journal of Respiratory and Critical Care Medicine. 2014;189.
11. **Critically Ill patients with the middle east respiratory syndrome: A multicenter retrospective cohort study.** Arabi YM, Al-Omari A, Mandourah Y, Al-Hameed F, Sindi AA, Alraddadi B, et al. Critical Care Medicine. 2017;45(10):1683-95.
12. **Ribavirin and interferon for critically ill patients with middle east respiratory coronavirus (MERS-COV) infection.** Arabi YM, Balkhy H, Al-Omari A, Al-Hameed F, Al-Aithan A, Abdulmomen A, et al. American Journal of Respiratory and Critical Care Medicine. 2015;191.
13. **Critically ill patients with the middle east respiratory coronavirus (MERS-CoV) infection.** Arabi YM, Balkhy H, Al-Omari A, Al-Hameed FM, Al-Aithan A, Abdulmomen A, et al. American Journal of Respiratory and Critical Care Medicine. 2015;191.
14. **Critical care management of adults with community-acquired severe respiratory viral infection.** Arabi

YM, Fowler R, Hayden FG. *Intensive Care Medicine*. 2020;46(2):315-28.

15. **The association of corticosteroid therapy and the outcome of critically ill patients with the middle east respiratory syndrome.** Arabi YM, Mandourah Y, Al-Hameed F, Al Omari A, Sindi A, Alraddadi B, et al. *American Journal of Respiratory and Critical Care Medicine*. 2017;195.
16. **Effect of ribavirin and interferon on the outcome of critically ill patients with mers.** Arabi YM, Shalhoub S, AlOmari A, Mandourah Y, Al-Hameed F, Sindi A, et al. *American Journal of Respiratory and Critical Care Medicine*. 2017;195.
17. **Case for continuing community NIV and CPAP during the COVID-19 epidemic.** Baker JG, Sovani M. *Thorax*. 2020. <http://dx.doi.org/10.1136/thoraxjnl-2020-214913>.
18. **COVID-19: community CPAP and NIV should be stopped unless medically necessary to support life.** Barker J, Oyefeso O, Koeckerling D, Mudalige NL, Pan D. *Thorax*. 2020. <http://dx.doi.org/10.1136/thoraxjnl-2020-214890>.
19. **SARS-Cov-2 in Spanish Intensive Care: Early Experience with 15-day Survival In Vitoria.** Barrasa H, Rello J, Tejada S, Martin A, Balziskueta G, Vinuesa C, et al. *Anaesthesia, critical care & pain medicine*. 2020. <http://dx.doi.org/10.1016/j.accpm.2020.04.001>.
20. **Critically ill influenza patients-co-infections and cardiovascular events.** Begot E, Prevel R, Camou F, Picard W, Gisbert-Mora C, Boyer A, et al. *Annals of Intensive Care*. 2019;9.
21. **Room sharing in hospitalized children with bronchiolitis and the occurrence of hospital-acquired infections: A prospective cohort study.** Bekhof J, Wessels M, Ten Velde E, Hoekstra M, Langenhorst V, Buijnesteijn L, et al. *Hospital Pediatrics*. 2019;9(6):415-22.
22. **Clinical management of respiratory syndrome in patients hospitalized for suspected Middle East respiratory syndrome coronavirus infection in the Paris area from 2013 to 2016.** Bleibtreu A, Jaureguiberry S, Houhou N, Boutolleau D, Guillot H, Vallois D, et al. *BMC Infectious Diseases*. 2018;18(1).
23. **Bronchoscopy during non-invasive ventilation in a patient with acute respiratory distress syndrome.** Bove T, Votta CD, Ciriaco P, Pappalardo F, Oriani A, Frau G, et al. *Signa Vitae*. 2017;13(1):103-4.
24. **Prognostic model of formation of bronchopulmonary dysplasia in premature babies.** Budanova M, Gladskikh N, Shvirev A, Sudakov O, Alexeev N, Bogacheva E, et al. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*. 2019;10(1):189-94.
25. **Early nutritional supplementation in non-critically ill patients hospitalized for the 2019 novel coronavirus disease (COVID-19): Rationale and feasibility of a shared pragmatic protocol.** Caccialanza R, Laviano A, Lobascio F, Montagna E, Bruno R, Ludovisi S, et al. *Nutrition (Burbank, Los Angeles County, Calif)*. 2020:110835. <http://dx.doi.org/10.1016/j.nut.2020.110835>.
26. **Community acquired pulmonary infection: Clinical perspectives.** Carter R, Woodhead M. *CPD Journal Radiology Update*. 2007;6(2):97-106.
27. **SARS patients and need for treatment [1].** Chan JWM, Lee S. *Emerging Infectious Diseases*. 2004;10(10):1877-8.
28. **Balancing infection control practices and family-centred care in a cohort of paediatric suspected severe acute respiratory syndrome patients in Hong Kong.** Chan SSC, Leung DYK, Wong EMY, Tiwari AFY, Wong DCN, Lo SL, et al. *Journal of Paediatrics and Child Health*. 2006;42(1):20-7.

29. **Evaluation of noninvasive positive pressure ventilation in treatment for patients with severe acute respiratory syndrome.** Chen H, Wang XP, Li F, Yang Q, Zhang LG, Du JX, et al. Zhongguo wei zhong bing ji jiu yi xue = Chinese critical care medicine = Zhongguo weizhongbing jijiuyixue. 2003;15(10):585-8.
30. **Initial Otolaryngological Manifestations of Severe Acute Respiratory Syndrome in Taiwan.** Chen HC, Young YH, Luo JP, Tsai HJ, Ho SJ, Yeh CH, et al. Archives of Otolaryngology - Head and Neck Surgery. 2003;129(11):1157-60.
31. **Inhalation of nitric oxide in the treatment of severe acute respiratory syndrome: A rescue trial in Beijing.** Chen L, Liu P, Gao H, Sun B, Chao D, Wang F, et al. Clinical Infectious Diseases. 2004;39(10):1531-5.
32. **Clinical and epidemiological predictors of transmission in Severe Acute Respiratory Syndrome (SARS).** Chen MIC, Chow ALP, Earnest A, Leong HN, Leo YS. BMC Infectious Diseases. 2006;6.
33. **Infants Born to Mothers With a New Coronavirus (COVID-19).** Chen Y, Peng H, Wang L, Zhao Y, Zeng L, Gao H, et al. Frontiers in pediatrics. 2020;8:104. <http://dx.doi.org/10.3389/fped.2020.00104>. eCollection 2020.
34. **Effectiveness of noninvasive positive pressure ventilation in the treatment of acute respiratory failure in severe acute respiratory syndrome.** Cheung TMT, Yam LYC, So LKY, Lau ACW, Poon E, Kong BMH, et al. Chest. 2004;126(3):845-50.
35. **Eight-month prospective study of 14 patients with hospital-acquired severe acute respiratory syndrome.** Chiang CH, Shih JF, Su WJ, Perng RP. Mayo Clinic Proceedings. 2004;79(11):1372-9.
36. **MERS-CoV outbreak following a single patient exposure in an emergency room in South Korea: an epidemiological outbreak study.** Cho SY, Kang JM, Ha YE, Park GE, Lee JY, Ko JH, et al. The Lancet. 2016;388(10048):994-1001.
37. **AIR tent for airway management of SARS patients.** Chu CP, Lam GC, Aun CS, Ho AM. Canadian journal of anaesthesia = Journal canadien d'anesthesie. 2003;50(8):854. <http://dx.doi.org/10.1007/BF03019387>.
38. **AIR tent for airway management of SARS patients [2].** Chu CPW, Lam GCS, Aun CST, Ho AMH. Canadian Journal of Anesthesia. 2003;50(8):854.
39. **Thin-section CT 12 months after the diagnosis of severe acute respiratory syndrome in pediatric patients.** Chu WCW, Li AM, Ng AWH, So HK, Lam WWM, Lo KL, et al. American Journal of Roentgenology. 2006;186(6):1707-14.
40. **[SARS (Severe Acute Respiratory Syndrome)].** Consdorf NS, Bach P, Wahlers B. RoFo : Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin. 2004;176(3):420-2. <http://dx.doi.org/10.1055/s-2004-812733>.
41. **Home-made continuous positive airways pressure device may reduce mortality in neonates with respiratory distress in low-resource setting.** Daga S, Mhatre S, Borhade A, Khan D. Journal of Tropical Pediatrics. 2014;60(5):343-7.
42. **A not so common cold-a case of acute respiratory distress syndrome due to adenovirus-associated pneumonia.** Dogra M, Sander P, Yalamanchili R. American Journal of Respiratory and Critical Care Medicine. 2019;199(9).
43. **[Investigation on demands for antenatal care services among 2 002 pregnant women during the epidemic of COVID-19 in Shanghai].** Du L, Gu YB, Cui MQ, Li WX, Wang J, Zhu LP, et al. Zhonghua Fu Chan Ke Za Zhi. 2020;55(3):160-5. <http://dx.doi.org/10.3760/cma.j.cn112141-20200218-00112>.
44. **Pneumonia: classification, diagnosis and nursing management.** Dunn L. Nursing standard (Royal College

of Nursing (Great Britain) : 1987). 2005;19(42):50-4.

45. **COVID-19 challenge for modern medicine.** Dzieciatkowski T, Szarpak L, Filipiak KJ, Jaguszewski M, Ladny JR, Smereka J. *Cardiology journal*. 2020. <http://dx.doi.org/10.5603/CJ.a2020.0055>.
46. **Noninvasive mechanical ventilation in high-risk pulmonary infections: A clinical review.** Esquinas AM, Egbert Pravinkumar S, Scala R, Gay P, Soroksky A, Girault C, et al. *European Respiratory Review*. 2014;23(134):427-38.
47. **Acute viral respiratory infections among children in MERS-endemic Riyadh, Saudi Arabia, 2012–2013.** Fagbo SF, Garbati MA, Hasan R, AlShahrani D, Al-Shehri M, AlFawaz T, et al. *Journal of Medical Virology*. 2017;89(2):195-201.
48. **Protecting healthcare workers from SARS-CoV-2 infection: practical indications.** Ferioli M, Cisternino C, Leo V, Pisani L, Palange P, Nava S. *European respiratory review : an official journal of the European Respiratory Society*. 2020;29(155). <http://dx.doi.org/10.1183/16000617.0068-2020>. Print 2020 Mar 31.
49. **The challenge of SARS: A clinical review.** File Jr TM. *Journal of Respiratory Diseases*. 2004;25(4):147-55.
50. **Severe acute respiratory syndrome: Pertinent clinical characteristics and therapy.** File Jr TM, Tsang KWT. *Treatments in Respiratory Medicine*. 2005;4(2):95-106.
51. **SARS patients benefit from nitrous oxide.** Fox S. *Infections in Medicine*. 2005;22(1):39.
52. **High flow nasal cannula is a good treatment option for COVID-19.** Geng S, Mei Q, Zhu C, Yang T, Yang Y, Fang X, et al. *Heart & lung : the journal of critical care*. 2020. <http://dx.doi.org/10.1016/j.hrtlng.2020.03.018>.
53. **More awareness is needed for severe acute respiratory syndrome coronavirus 2019 transmission through exhaled air during non-invasive respiratory support: Experience from China.** Guan L, Zhou L, Zhang J, Peng W, Chen R. *European Respiratory Journal*. 2020;55(3).
54. **Clinical Characteristics of Coronavirus Disease 2019 in China.** Guan WJ, Ni ZY, Hu Y, Liang WH, Ou CQ, He JX, et al. *The New England journal of medicine*. 2020.
55. **Clinical features and viral diagnosis of two cases of infection with Middle East Respiratory Syndrome coronavirus: A report of nosocomial transmission.** Guery B, Poissy J, El Mansouf L, Séjourné C, Ettahar N, Lemaire X, et al. *The Lancet*. 2013;381(9885):2265-72.
56. **Ozone therapy: A milestone in the treatment of ailments.** Gujral SS, Nand P, Vashist N. *Indo Global Journal of Pharmaceutical Sciences*. 2013;3(2):167-73.
57. **Polymorphisms of interferon-inducible genes OAS-1 and MxA associated with SARS in the Vietnamese population.** Hamano E, Hijikata M, Itoyama S, Quy T, Phi NC, Long HT, et al. *Biochemical and Biophysical Research Communications*. 2005;329(4):1234-9.
58. **Acute respiratory failure and noninvasive positive pressure ventilation treatment in patients with severe acute respiratory syndrome.** Han F, Jiang YY, Zheng JH, Hu Z, Gao ZC, He QY, et al. *Zhonghua jie he he hu xi za zhi = Zhonghua jiehe he huxi zazhi = Chinese journal of tuberculosis and respiratory diseases*. 2004;27(9):593-7.
59. **The course of clinical diagnosis and treatment of a case infected with coronavirus disease 2019.** Han W, Quan B, Guo Y, Zhang J, Lu Y, Feng G, et al. *Journal of Medical Virology*. 2020;92(5):461-3.
60. **[Clinical experience of high-flow nasal cannula oxygen therapy in severe corona virus disease 2019 (COVID-19) patients].** He G, Han Y, Fang Q, Zhou J, Shen J, Li T, et al. *Zhejiang da xue xue bao Yi xue ban = Journal of Zhejiang University Medical sciences*. 2020;49(1):0.

61. **Transmission of COVID-19 to Health Care Personnel During Exposures to a Hospitalized Patient - Solano County, California, February 2020.** Heinzerling A, Stuckey MJ, Scheuer T, Xu K, Perkins KM, Resseger H, et al. *MMWR Morbidity and mortality weekly report*. 2020;69(15):472-6. <http://dx.doi.org/10.15585/mmwr.mm6915e5>.
62. **Pentaglobin in steroid-resistant severe acute respiratory syndrome.** Ho JC, Wu AY, Lam B, Ooi GC, Khong PL, Ho PL, et al. *International Journal of Tuberculosis and Lung Disease*. 2004;8(10):1173-9.
63. **SARS: Hospital infection control and admission strategies.** Ho PL, Tang XP, Seto WH. *Respirology*. 2003;8:S41-S5.
64. **Clinical presentations and outcome of severe acute respiratory syndrome in children.** Hon KLE, Leung CW, Cheng WTF, Chan PKS, Chu WCW, Kwan YW, et al. *Lancet*. 2003;361(9370):1701-3.
65. **Nosocomial transmission of severe acute respiratory syndrome: Better quality of evidence is needed.** Hugonnet S, Legros D, Roth C, Pessoa-Silva CL. *Clinical Infectious Diseases*. 2007;45(12):1651.
66. **An overview on severe acute respiratory syndrome (SARS).** Hui DS. *Monaldi archives for chest disease = Archivio Monaldi per le malattie del torace*. 2005;63(3):149-57. <http://dx.doi.org/10.4081/monaldi.2005.632>.
67. **Severe acute respiratory syndrome (SARS): Lessons learnt in Hong Kong.** Hui DS. *Journal of Thoracic Disease*. 2013;5:S122-S6.
68. **Clinical features, pathogenesis and immunobiology of severe acute respiratory syndrome.** Hui DS, Chan PKS. *Current Opinion in Pulmonary Medicine*. 2008;14(3):241-7.
69. **Exhaled air dispersion during endotracheal suction and intubation.** Hui DS, Chow B, Lo T, Chan M. *American Journal of Respiratory and Critical Care Medicine*. 2014;189.
70. **Exhaled air dispersion and removal is influenced by isolation room size and ventilation settings during oxygen delivery via nasal cannula.** Hui DS, Chow BK, Chu L, Ng SS, Lai ST, Gin T, et al. *Respirology*. 2011;16(6):1005-13.
71. **Exhaled air dispersion during oxygen delivery via a simple oxygen mask.** Hui DS, Hall SD, Chan MTV, Chow BK, Ng SS, Gin T, et al. *Chest*. 2007;132(2):540-6.
72. **Middle east respiratory syndrome.** Hui DS, Peiris M. *American Journal of Respiratory and Critical Care Medicine*. 2015;192(3):278-9.
73. **Severe Acute Respiratory Syndrome: Historical, Epidemiologic, and Clinical Features.** Hui DSC, Zumla A. *Infectious Disease Clinics of North America*. 2019;33(4):869-89.
74. **Long-term respiratory complication in patients with middle east respiratory syndrome: 1-year follow-up after the 2015 outbreak in South Korea.** Jun KI, Park WB, Kim G, Choi JP, Rhee JY, Cheon S, et al. *Open Forum Infectious Diseases*. 2017;4:S577.
75. **Safety considerations with chloroquine, hydroxychloroquine and azithromycin in the management of SARS-CoV-2 infection.** Juurlink DN. *CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne*. 2020. <http://dx.doi.org/10.1503/cmaj.200528>.
76. **A Comprehensive Literature Review on the Clinical Presentation, and Management of the Pandemic Coronavirus Disease 2019 (COVID-19).** Kakodkar P, Kaka N, Baig MN. *Cureus*. 2020;12(4):e7560. <http://dx.doi.org/10.7759/cureus.7560>.

77. **An 83-year-old woman with suspected SARS: Implications for emergency nursing.** Kalafut C, Honer D. *Journal of Emergency Nursing*. 2003;29(4):326-9.
78. **Clinical and laboratory findings of the first imported case of middle east respiratory syndrome coronavirus to the United States.** Kapoor M, Pringle K, Kumar A, Dearth S, Liu L, Lovchik J, et al. *Clinical Infectious Diseases*. 2014;59(11):1511-8.
79. **Ribavirin and interferon- α 2b as primary and preventive treatment for Middle East respiratory syndrome coronavirus: A preliminary report of two cases.** Khalid M, Al Rabiah F, Khan B, Al Mobeireek A, Butt TS, Al Mutairy E. *Antiviral Therapy*. 2015;20(1):87-91.
80. **Survey and evaluation of modified oxygen delivery devices used for suspected severe acute respiratory syndrome and other high-risk patients in Hong Kong.** Khaw KS, Ngan Kee WD, Tam YH, Wong MK, Lee SW. *Hong Kong medical journal = Xianggang yi xue za zhi / Hong Kong Academy of Medicine*. 2008;14(5):27-31.
81. **Clinical Course and Outcomes of Patients with Severe Acute Respiratory Syndrome Coronavirus 2 Infection: a Preliminary Report of the First 28 Patients from the Korean Cohort Study on COVID-19.** Kim ES, Chin BS, Kang CK, Kim NJ, Kang YM, Choi JP, et al. *Journal of Korean medical science*. 2020;35(13):e142. <http://dx.doi.org/10.3346/jkms.2020.35.e142>.
82. **Clinical Progression and Cytokine Profiles of Middle East Respiratory Syndrome Coronavirus Infection.** Kim ES, Choe PG, Park WB, Oh HS, Kim EJ, Nam EY, et al. *Journal of Korean medical science*. 2016;31(11):1717-25.
83. **The threat of severe acute respiratory syndrome (SARS).** Kissoon N. *West Indian Medical Journal*. 2003;52(2):91-4.
84. **Recommendations for critically ill patients with COVID-19.** Kluge S, Janssens U, Welte T, Weber-Carstens S, Marx G, Karagiannidis C. *Medizinische Klinik - Intensivmedizin und Notfallmedizin*. 2020.
85. **German recommendations for critically ill patients with COVID19.** Kluge S, Janssens U, Welte T, Weber-Carstens S, Marx G, Karagiannidis C. *Medizinische Klinik, Intensivmedizin und Notfallmedizin*. 2020. <http://dx.doi.org/10.1007/s00063-020-00689-w>.
86. **Race to find COVID-19 treatments accelerates.** Kupferschmidt K, Cohen J. *Science*. 2020;367(6485):1412-3.
87. **Clinical imaging research of the first Middle East respiratory syndrome in China.** Lan B, Lu P, Zeng Y, Li X, Ou X, Li J, et al. *Radiology of Infectious Diseases*. 2015;2(4):173-6.
88. **Management of Critically Ill Patients with Severe Acute Respiratory Syndrome (SARS).** Lau AC, Yam LY, So LK. *International journal of medical sciences*. 2004;1(1):1-10. <http://dx.doi.org/10.7150/ijms.1.1>. Epub 2004 Mar 10.
89. **Outcome of coronavirus-associated severe acute respiratory syndrome using a standard treatment protocol.** Lau ACW, So LKY, Miu FPL, Yung RWH, Poon E, Cheung TMT, et al. *Respirology*. 2004;9(2):173-83.
90. **The efficacy of Chinese medicine for SARS: A review of Chinese publications after the crisis.** Leung PC. *American Journal of Chinese Medicine*. 2007;35(4):575-81.
91. **Clinical observation of non-invasive positive pressure ventilation (NIPPV) in the treatment of severe acute respiratory syndrome (SARS).** Li H, Nie L, Wang G, Que C, Ma J, Li N, et al. *Beijing da xue xue bao Yi xue ban = Journal of Peking University Health sciences*. 2003;35:41-3.
92. **[Thoughts and practice on the treatment of severe and critical new coronavirus pneumonia].** Li HC, Ma J, Zhang H, Cheng Y, Wang X, Hu ZW, et al. *Zhonghua jie he he hu xi za zhi = Zhonghua jiehe he huxi zazhi = Chinese journal of tuberculosis and respiratory diseases*. 2020;43:E038.

<http://dx.doi.org/10.3760/cmaj.cn112147-20200312-00320>.

93. **High-flow nasal cannula for COVID-19 patients: low risk of bio-aerosol dispersion.** Li J, Fink JB, Ehrmann S. *The European respiratory journal*. 2020. <http://dx.doi.org/10.1183/13993003.00892-2020>.
94. **Symptom combinations associated with outcome and therapeutic effects in a cohort of cases with SARS.** Li S, Wang R, Zhang Y, Zhang X, Layon AJ, Li Y, et al. *American Journal of Chinese Medicine*. 2006;34(6):937-47.
95. **Diagnosis and clinical management of severe acute respiratory syndrome Coronavirus 2 (SARS-CoV-2) infection: an operational recommendation of Peking Union Medical College Hospital (V2.0): Working Group of 2019 Novel Coronavirus, Peking Union Medical College Hospital.** Li T. *Emerging Microbes and Infections*. 2020;9(1):582-5.
96. **Long-term outcome of acute respiratory distress syndrome caused by severe acute respiratory syndrome (SARS): an observational study.** Li TS, Gomersall CD, Joynt GM, Chan DP, Leung P, Hui DS. *Critical care and resuscitation : journal of the Australasian Academy of Critical Care Medicine*. 2006;8(4):302-8.
97. **Insight into COVID-2019 for pediatricians.** Li Y, Guo F, Cao Y, Li L, Guo Y. *Pediatr Pulmonol*. 2020;55(5):E1-e4. <http://dx.doi.org/10.1002/ppul.24734>. Epub 2020 Mar 18.
98. **From the insight of glucose metabolism disorder: Oxygen therapy and blood glucose monitoring are crucial for quarantined COVID-19 patients.** Li Z, Liu G, Wang L, Liang Y, Zhou Q, Wu F, et al. *Ecotoxicology and Environmental Safety*. 2020;197.
99. **Clinical analysis of pediatric SARS cases in Beijing.** Li ZZ, Shen KL, Wei XM, Wang HL, Lu J, Tian H, et al. *Zhonghua er ke za zhi Chinese journal of pediatrics*. 2003;41(8):574-7.
100. **Hospital management of adults with severe acute respiratory syndrome (SARS) if SARS re-emerges - Updated 10 February 2004.** Lim WS, Anderson SR, Read RC. *Journal of Infection*. 2004;49(1):1-7.
101. **Treating severe acute respiratory syndrome with integrated Chinese and Western medicine - A report on 103 hospitalised cases at the Second Affiliated Hospital of Guangzhou University of Chinese Medicine, China.** Lin L, He DP, Han Y, Xu JY, Lin ZX. *Journal of Chinese Medicine*. 2003(72):5-10.
102. **A retrospective study on clinical features of and treatment methods for 77 severe cases of SARS.** Lin L, Xu YJ, He DP, Han Y, Tang GH, Yang ZM, et al. *American Journal of Chinese Medicine*. 2003;31(6):821-39.
103. **Clinical analysis of the first patient with imported Middle East respiratory syndrome in China.** Ling Y, Qu R, Luo Y. *Zhonghua Wei Zhong Bing Ji Jiu Yi Xue*. 2015;27(9):630-4.
104. **Dynamics changes of pulmonary lesions on CT in patients with severe acute respiratory syndrome treated by non-invasive positive pressure ventilation.** Liu CZ, Cheng GY, Wang RG, Liu Y. *Chinese Journal of Radiology*. 2007;41(5):479-82.
105. **Analysis of mortal risk factors in 12 patients with severe acute respiratory syndrome.** Liu HY, Shi YM. *Zhongguo wei zhong bing ji jiu yi xue = Chinese critical care medicine = Zhongguo weizhongbing jijiu yixue*. 2003;15(9):526-8.
106. **Clinical features of COVID-19 in elderly patients: A comparison with young and middle-aged patients.** Liu K, Chen Y, Lin R, Han K. *J Infect*. 2020. <http://dx.doi.org/10.1016/j.jinf.2020.03.005>.
107. **Clinical feature of COVID-19 in elderly patients: a comparison with young and middle-aged patients.** Liu K, Chen Y, Lin R, Han K. *The Journal of infection*. 2020.

108. **A12-year follow-up study of combined treatment of post-severe acute respiratory syndrome patients with femoral head necrosis.** Liu T, Ma J, Su B, Wang H, Wang Q, Ma X. *Therapeutics and Clinical Risk Management*. 2017;13:1449-54.
109. **Detection of Covid-19 in Children in Early January 2020 in Wuhan, China.** Liu W, Zhang Q, Chen J, Xiang R, Song H, Shu S, et al. *The New England journal of medicine*. 2020;382(14):1370-1. <http://dx.doi.org/10.1056/NEJMc2003717>. Epub 2020 Mar 12.
110. **Management of critical severe acute respiratory syndrome and risk factors for death.** Liu XQ, Chen SB, He GQ, Li YM, He WQ, Chen RC, et al. *Zhonghua jie he he hu xi za zhi = Zhonghua jiehe he huxi zazhi = Chinese journal of tuberculosis and respiratory diseases*. 2003;26(6):329-33.
111. **Evaluation of SARS-CoV-2 RNA shedding in clinical specimens and clinical characteristics of 10 patients with COVID-19 in Macau.** Lo IL, Lio CF, Cheong HH, Lei CI, Cheong TH, Zhong X, et al. *Int J Biol Sci*. 2020;16(10):1698-707. <http://dx.doi.org/10.7150/ijbs.45357>. eCollection 2020.
112. **The impact of high-flow nasal cannula (HFNC) on coughing distance: implications on its use during the novel coronavirus disease outbreak.** Loh NHW, Tan Y, Taculod J, Gorospe B, Teope AS, Somani J, et al. *Canadian journal of anaesthesia = Journal canadien d'anesthesie*. 2020.
113. **Interferon Alfacon-1 Plus Corticosteroids in Severe Acute Respiratory Syndrome: A Preliminary Study.** Loutfy MR, Blatt LM, Siminovitsh KA, Ward S, Wolff B, Lho H, et al. *Journal of the American Medical Association*. 2003;290(24):3222-8.
114. **The "helmet bundle" in COVID-19 patients undergoing non invasive ventilation.** Lucchini A, Giani M, Isgro S, Rona R, Foti G. *Intensive & critical care nursing*. 2020:102859. <http://dx.doi.org/10.1016/j.iccn.2020.102859>.
115. **The therapeutic effect of high flow nasal cannula oxygen therapy for the first imported case of Middle East respiratory syndrome to China.** Luo Y, Qu R, Ling Y, Qin T. *Chinese Critical Care Medicine*. 2015;27(10):841-4.
116. **The use of high-flow nasal oxygen in COVID-19.** Lyons C, Callaghan M. *Anaesthesia*. 2020. <http://dx.doi.org/10.1111/anae.15073>.
117. **Noninvasive ventilation for acute respiratory failure.** Majid A, Hill NS. *Current Opinion in Critical Care*. 2005;11(1):77-81.
118. **Severe Acute Respiratory Syndrome (SARS).** Marraro GA. *Acta Anaesthesiologica Italica / Anaesthesia and Intensive Care in Italy*. 2003;54(1):9-20.
119. **Consideration of the respiratory support strategy of severe acute respiratory failure caused by SARS-CoV-2 infection in children.** Marraro GA, Spada C. *Zhongguo dang dai er ke za zhi = Chinese journal of contemporary pediatrics*. 2020;22(3):183-94.
120. **Histamine-induced end-tidal inspiratory activity and lung receptors in cats.** Meessen NEL, Van Der Grinten CPM, Folgering HTM, Luijendijk SCM. *European Respiratory Journal*. 1995;8(12):2094-103.
121. **Intubation and Ventilation amid the COVID-19 Outbreak: Wuhan's Experience.** Meng L, Qiu H, Wan L, Ai Y, Xue Z, Guo Q, et al. *Anesthesiology*. 2020.
122. **High dose intravenous methylprednisolone in the treatment of severe acute respiratory syndrome.** Mishra S, Lee WM, Bressler B, Juvet SC, Hadjiliadis D. *Canadian Respiratory Journal*. 2004;11(4):311-2.
123. **Use of heliox delivered via high-flow nasal cannula to treat an infant with coronavirus-related**

respiratory infection and severe acute air-flow obstruction. Morgan SE, Vukin K, Mosakowski S, Solano P, Stanton L, Lester L, et al. *Respiratory Care*. 2014;59(11):e166-e70.

124. **Resource Allocation and Decision Making for Pediatric and Congenital Cardiac Catheterization During the Novel Coronavirus SARS-CoV-2 (COVID-19) Pandemic: A U.S. Multi-Institutional Perspective.** Morray BH, Gordon BM, Crystal MA, Goldstein BH, Qureshi AM, Torres AJ, et al. *The Journal of invasive cardiology*. 2020.

125. **Report of middle east respiratory syndrome coronavirus (MERS-CoV) infection in four patients with hematological malignancies treated at king fahad medical City, Riyadh, Saudi Arabia.** Motabi IH, Zaidi SZA, Ibrahim MH, Tailor IK, Alshehry NF, AlGhamdi MS, et al. *Blood*. 2016;128(22).

126. **Nasal intermittent mandatory ventilation for infants with bronchiolitis in the PICU.** Murphy K, Sweberg T. *Critical Care Medicine*. 2019;47(1).

127. **Respiratory support for patients with COVID-19 infection.** Namendys-Silva SA. *The Lancet Respiratory Medicine*. 2020;8(4):e18.

128. **Invasive aspergillosis in a patient with asthma post H1N1 Pneumonia Nayar1, Cook P1, Lim L1, Allison D1, Denning D2county Durham and Darlington foundation trust1national aspergillosis centre, university hospital of South Manchester2category: Clinical lesson.** Nayar D, Cook P, Lim L, Allison D, Denning DW. *Journal of Infection*. 2011;63(6):e103-e4.

129. **Respiratory viruses in mechanically ventilated patients: A pilot study.** Nazareth R, Chasqueira MJ, Rodrigues ML, Paulino C, Conceição C, Lêdo L, et al. *BMC Pulmonary Medicine*. 2020;20(1).

130. **Evidence Based Management Guideline for the COVID-19 Pandemic - Review article.** Nicola M, O'Neill N, Sohrabi C, Khan M, Agha M, Agha R. *International journal of surgery (London, England)*. 2020. <http://dx.doi.org/10.1016/j.ijssu.2020.04.001>.

131. **Viral load kinetics of MERS coronavirus infection.** Oh MD, Park WB, Choe PG, Choi SJ, Kim JI, Chae J, et al. *New England Journal of Medicine*. 2016;375(13):1303-5.

132. **Severe Acute Respiratory Syndrome: Radiographic Evaluation and Clinical Outcome Measures.** Ooi CGC, Khong PL, Ho JCM, Lam B, Wong WM, Yiu WC, et al. *Radiology*. 2003;229(2):500-6.

133. **Replicative virus shedding in the respiratory tract of patients with Middle East respiratory syndrome coronavirus infection.** Park WB, Poon LLM, Choi SJ, Choe PG, Song KH, Bang JH, et al. *International Journal of Infectious Diseases*. 2018;72:8-10.

134. **Respiratory viruses infections are a significant clinical problem in haematological patients with underestimated adverse outcome: A single institution 9-years experience.** Passi A, Pagani C, Gramegna D, Daffini R, Pollara CP, Signorini L, et al. *Haematologica*. 2019;104:29-30.

135. **Importation and human-to-human transmission of a novel coronavirus in Vietnam.** Phan LT, Nguyen TV, Luong QC, Nguyen TV, Nguyen HT, Le HQ, et al. *New England Journal of Medicine*. 2020;382(9):872-4.

136. **Emergence of a novel human coronavirus threatening human health.** Poon LLM, Peiris M. *Nature Medicine*. 2020;26(3):317-9.

137. **Has Hajj-associated Middle East Respiratory Syndrome Coronavirus transmission occurred? The case for effective post-Hajj surveillance for infection.** Rashid H, Azeem MI, Heron L, Haworth E, Booy R, Memish ZA. *Clinical Microbiology and Infection*. 2014;20(4):273-6.

138. **Coronavirus Disease 2019 (COVID-19) and pregnancy: what obstetricians need to know.** Rasmussen SA,

Smulian JC, Lednický JA, Wen TS, Jamieson DJ. American Journal of Obstetrics and Gynecology. 2020.

139. **Severe acute respiratory infections in a Tunisian ICU.** Romdhani S, Bouneb R, Lohmari D, Ben Aicha N, Ayachi J, Meddeb K, et al. Intensive Care Medicine Experimental. 2016;4.
140. **Illness in intensive care staff after brief exposure to severe acute respiratory syndrome.** Scales DC, Green K, Chan AK, Poutanen SM, Foster D, Nowak K, et al. Emerging Infectious Diseases. 2003;9(10):1205-10.
141. **SARS Cov2 infection in a renal transplanted patients. A case report.** Seminari E, Colaneri M, Sambo M, Gallazzi I, Di Matteo A, Silvia R, et al. American journal of transplantation : official journal of the American Society of Transplantation and the American Society of Transplant Surgeons. 2020. <http://dx.doi.org/10.1111/ajt.15902>.
142. **Guillain–Barré syndrome with unilateral peripheral facial and bulbar palsy in a child: A case report.** Sharma K, Tengsupakul S, Sanchez O, Phaltas R, Maertens P. SAGE Open Medical Case Reports. 2019;7.
143. **Association of Cardiac Injury With Mortality in Hospitalized Patients With COVID-19 in Wuhan, China.** Shi S, Qin M, Shen B, Cai Y, Liu T, Yang F, et al. JAMA cardiology. 2020.
144. **Evaluation of droplet dispersion during non-invasive ventilation, oxygen therapy, nebuliser treatment and chest physiotherapy in clinical practice: implications for management of pandemic influenza and other airborne infections.** Simonds AK, Hanak A, Chatwin M, Morrell M, Hall A, Parker KH, et al. Health technology assessment (Winchester, England). 2010;14(46):131-72.
145. **High prevalence of obesity in severe acute respiratory syndrome coronavirus-2 (SARS-CoV-2) requiring invasive mechanical ventilation.** Simonnet A, Chetboun M, Poissy J, Raverdy V, Noulette J, Duhamel A, et al. Obesity (Silver Spring, Md). 2020. <http://dx.doi.org/10.1002/oby.22831>.
146. **A Review of Coronavirus Disease-2019 (COVID-19).** Singhal T. Indian Journal of Pediatrics. 2020;87(4):281-6.
147. **Development of a standard treatment protocol for severe acute respiratory syndrome.** So LKY, Lau ACW, Yam LYC, Cheung TMT, Poon E, Yung RWH, et al. Lancet. 2003;361(9369):1615-7.
148. **Dispersal of respiratory droplets with open vs closed oxygen delivery masks: implications for the transmission of severe acute respiratory syndrome.** Somogyi R, Vesely AE, Azami T, Preiss D, Fisher J, Correia J, et al. Chest. 2004;125(3):1155-7. <http://dx.doi.org/10.1378/chest.125.3.1155>.
149. **The Italian coronavirus disease 2019 outbreak: recommendations from clinical practice.** Sorbello M, El-Boghdady K, Di Giacinto I, Cataldo R, Esposito C, Falcetta S, et al. Anaesthesia. 2020. <http://dx.doi.org/10.1111/anae.15049>.
150. **SARS clinical features, United States, 2003.** Srikantiah P, Charles MD, Reagan S, Clark TA, Pletz MWR, Patel PR, et al. Emerging Infectious Diseases. 2005;11(1):135-8.
151. **Epidemiology and clinical impact of viral, atypical, and fungal respiratory pathogens in symptomatic immunocompromised patients: a two-center study using a multi-parameter customized respiratory Taqman® array card.** Steensels D, Reynders M, Descheemaeker P, Curran MD, Hites M, Etienne I, et al. European Journal of Clinical Microbiology and Infectious Diseases. 2019;38(8):1507-14.
152. **Severe acute respiratory syndrome in children.** Stockman LJ, Massoudi MS, Helfand R, Erdman D, Siwek AM, Anderson LJ, et al. Pediatric Infectious Disease Journal. 2007;26(1):68-74.
153. **Clinical features of severe pediatric patients with coronavirus disease 2019 in Wuhan: a single center's observational study.** Sun D, Li H, Lu XX, Xiao H, Ren J, Zhang FR, et al. World journal of pediatrics : WJP. 2020.

154. **Lower mortality of COVID-19 by early recognition and intervention: experience from Jiangsu Province.** Sun Q, Qiu H, Huang M, Yang Y. *Annals of Intensive Care.* 2020;10(1).
155. **Novel Coronavirus 2019 (2019-nCoV) Infection: Part II - Respiratory Support in the Pediatric Intensive Care Unit in Resource-limited Settings.** Sundaram M, Ravikumar N, Bansal A, Nallasamy K, Basavaraja GV, Lodha R, et al. *Indian Pediatr.* 2020.
156. **Severe acute respiratory syndrome: Report of treatment and outcome after a major outbreak.** Sung JY, Wu A, Joynt GM, Yuen KY, Lee N, Chan PKS, et al. *Thorax.* 2004;59(5):414-20.
157. **Radiographic features of a case of severe acute respiratory syndrome with fatal outcome.** Tan DY, Kaw GJL, Tsou IYY, Wansaicheong GKL, Green JA, Tai DYH, et al. *Annals of the Academy of Medicine Singapore.* 2003;32(4):542-6.
158. **Use of human nasal cannulas during bronchoscopy procedures as a simple method for maintaining adequate oxygen saturation in pigtailed macaques (*Macaca nemestrina*).** Thomas MJ, Flanary LR, Brown BA, Katze MG, Baskin CR. *Journal of the American Association for Laboratory Animal Science : JAALAS.* 2006;45(4):44-8.
159. **Severe acute respiratory syndrome.** Thomas PA. *Indian Journal of Medical Microbiology.* 2003;21(3):152-60.
160. **Aerosol generating procedures (AGP) and risk of transmission of acute respiratory diseases (ARD): A systematic review.** Tran K, Cimon K, Severn M, Pessoa-Silva C, Conly J. *BMC Proceedings.* 2011;5.
161. **Aerosol generating procedures and risk of transmission of acute respiratory infections to healthcare workers: A systematic review.** Tran K, Cimon K, Severn M, Pessoa-Silva CL, Conly J. *PLoS ONE.* 2012;7(4).
162. **When surgeons became SARS patients [2].** Wan IYP, Wan S, Arifi AA, Yim APC. *Annals of the Royal College of Surgeons of England.* 2004;86(2):144-5.
163. **At the epicenter of severe acute respiratory syndrome.** Wan S, Yim APC. *Journal of Thoracic and Cardiovascular Surgery.* 2004;127(6):1553-7.
164. **Respiratory support for severe acute respiratory syndrome: Integration of efficacy and safety.** Wang C, Cao ZX. *Chinese Medical Journal.* 2005;118(17):1411-2.
165. **Clinical Characteristics of 138 Hospitalized Patients with 2019 Novel Coronavirus-Infected Pneumonia in Wuhan, China.** Wang D, Hu B, Hu C, Zhu F, Liu X, Zhang J, et al. *JAMA - Journal of the American Medical Association.* 2020;323(11):1061-9.
166. **Holistic care for patients with severe coronavirus disease 2019: An expert consensus.** Wang H, Zeng T, Wu X, Sun H. *International journal of nursing sciences.* 2020. <http://dx.doi.org/10.1016/j.ijnss.2020.03.010>.
167. **The experience of high-flow nasal cannula in hospitalized patients with 2019 novel coronavirus-infected pneumonia in two hospitals of Chongqing, China.** Wang K, Zhao W, Li J, Shu W, Duan J. *Annals of intensive care.* 2020;10(1):37. <http://dx.doi.org/10.1186/s13613-020-00653-z>.
168. **Comorbidities and multi-organ injuries in the treatment of COVID-19.** Wang T, Du Z, Zhu F, Cao Z, An Y, Gao Y, et al. *The Lancet.* 2020;395(10228):e52.
169. **Clinical experience from treatment of seven SARS patients.** Wang XJ, Li YR, Yang LQ, Zhang WY, Li XH, Dong QH, et al. *Zhonghua shi yan he lin chuang bing du xue za zhi = Zhonghua shiyan he linchuang bingduxue zazhi = Chinese journal of experimental and clinical virology.* 2004;18(3):215-7.

170. **New and emerging infectious diseases (Ebola, Middle Eastern respiratory syndrome coronavirus, carbapenem-resistant Enterobacteriaceae, Candida auris): Focus on environmental survival and germicide susceptibility.** Weber DJ, Sickbert-Bennett EE, Kanamori H, Rutala WA. American Journal of Infection Control. 2019;47:A29-A38.
171. **H1N1 infection and acute respiratory failure: Can we give non-invasive ventilation a chance?** Winck JC, Gonçalves M. Revista Portuguesa de Pneumologia. 2010;16(6):907-11.
172. **Awareness, Attitudes, and Actions Related to COVID-19 Among Adults With Chronic Conditions at the Onset of the U.S. Outbreak: A Cross-sectional Survey.** Wolf MS, Serper M, Opsasnick L, O'Connor RM, Curtis LM, Benavente JY, et al. Annals of internal medicine. 2020. <http://dx.doi.org/10.7326/M20-1239>.
173. **Severe Acute Respiratory Syndrome (SARS) in Children.** Wong GWK, Fok TF. Pediatric Pulmonology. 2004;37:69-71.
174. **Cocktail therapy for hip necrosis in SARS patients.** Wong T, Wang CJ, Hsu SL, Chou WY, Lin PC, Huang CC. Chang Gung Medical Journal. 2008;31(6):546-53.
175. **The effect of hyperbaric-oxygen-therapy on stage I avascular necrosis of femoral head in SARS patients.** Wu J, Jiang QS, Hong N, Di Q. Chinese Journal of Medical Imaging Technology. 2008;24(4):608-10.
176. **Comparison of clinical features of severe acute respiratory syndrome among different transmission generations.** Wu W, Wang JF, Jiang SP, Liu PM, Chen QY, Chen WX, et al. Zhonghua nei ke za zhi [Chinese journal of internal medicine]. 2004;43(6):416-9.
177. **Comparison of clinical course of patients with severe acute respiratory syndrome among the multiple generations of nosocomial transmission.** Wu W, Wang JF, Liu PM, Jiang SP, Chen QY, Chen WX, et al. Chinese Medical Journal. 2004;117(1):14-8.
178. **Prognostic analysis of lung function and chest X-ray changes of 258 patients with severe acute respiratory syndrome in rehabilitation after discharge.** Xie LX, Liu YN, Hao FY, Dong J, Cao L, Xu HM, et al. Zhonghua jie he he hu xi za zhi = Zhonghua jiehe he huxi zazhi = Chinese journal of tuberculosis and respiratory diseases. 2004;27(3):147-50.
179. **Salivary Glands: Potential Reservoirs for COVID-19 Asymptomatic Infection.** Xu J, Li Y, Gan F, Du Y, Yao Y. Journal of dental research. 2020:22034520918518. <http://dx.doi.org/10.1177/0022034520918518>.
180. **Clinical analysis of patients with severe acute respiratory syndrome in Beijing area.** Xu J, Yang M, Liu Z. Zhonghua jie he he hu xi za zhi = Zhonghua jiehe he huxi zazhi = Chinese journal of tuberculosis and respiratory diseases. 2003;26(11):683-5.
181. **Management of corona virus disease-19 (COVID-19): the Zhejiang experience.** Xu K, Cai H, Shen Y, Ni Q, Chen Y, Hu S, et al. Zhejiang da xue xue bao Yi xue ban = Journal of Zhejiang University Medical sciences. 2020;49(1):0.
182. **Factors associated with prolonged viral RNA shedding in patients with COVID-19.** Xu K, Chen Y, Yuan J, Yi P, Ding C, Wu W, et al. Clin Infect Dis. 2020. <http://dx.doi.org/10.1093/cid/ciaa351>.
183. **Retrospective discriminant analysis of the clinical diagnostic criteria for serious contagious severe acute respiratory syndrome.** Xu YD, Jiang M, Chen RC, Fang JQ, Xiao ZL, Zhong NS. Chinese Critical Care Medicine. 2006;18(6):346-9.
184. **Hyperoxygenated solutions in clinical practice: Preventing or reducing hypoxic injury.** Xua H, Lia Y,

Gao W, Zhang H, Xu LX. Journal of International Medical Research. 2011;39(5):1589-606.

185. **Non-invasive versus invasive mechanical ventilation for respiratory failure in severe acute respiratory syndrome.** Yam LYC, Chan AYE, Cheung TMT, Tsui ELH, Chan JCK, Wong VCW. Chinese Medical Journal. 2005;118(17):1413-21.
186. **SARS: Ventilatory and intensive care.** Yam LYC, Chen RC, Zhong NS. Respiriology. 2003;8:S31-S5.
187. **The first 75 days of novel coronavirus (SARS-CoV-2) outbreak: Recent advances, prevention, and treatment.** Yan Y, Shin WI, Pang YX, Meng Y, Lai J, You C, et al. International Journal of Environmental Research and Public Health. 2020;17(7).
188. **Clinical analysis of complications after non- invasive positive pressure ventilation and an inquiry into the respiratory treatment strategy in patients with SARS.** Yang L, Li F, Li D, Jia JG, Yang P, Sun JB. Zhongguo wei zhong bing ji jiu yi xue = Chinese critical care medicine = Zhongguo weizhongbing jijiuyixue. 2004;16(5):281-3.
189. **Clinical characteristics and risk assessment of newborns born to mothers with COVID-19.** Yang P, Wang X, Liu P, Wei C, He B, Zheng J, et al. Journal of clinical virology : the official publication of the Pan American Society for Clinical Virology. 2020;127:104356. <http://dx.doi.org/10.1016/j.jcv.2020.104356>.
190. **Clinical efficacy of lopinavir/ritonavir in the treatment of Coronavirus disease 2019.** Ye XT, Luo YL, Xia SC, Sun QF, Ding JG, Zhou Y, et al. European review for medical and pharmacological sciences. 2020;24(6):3390-6. http://dx.doi.org/10.26355/eurrev_202003_20706.
191. **Why did outbreaks of severe acute respiratory syndrome occur in some hospital wards but not in others?** Yu IT, Zhan HX, Tsoi KK, Yuk LC, Siu WL, Xiao PT, et al. Clinical Infectious Diseases. 2007;44(8):1017-25.
192. **Successful treatment of COVID-19 using extracorporeal membrane oxygenation, a case report.** Zhan WQ, Li MD, Xu M, Lu YB. European Review for Medical and Pharmacological Sciences. 2020;24(6):3385-9.
193. **Response of Chinese Anesthesiologists to the COVID-19 Outbreak.** Zhang HF, Bo LL, Lin Y, Li FX, Sun SJ, Lin HB, et al. Anesthesiology. 2020.
194. **Clinical manifestation, treatment, and outcome of severe acute respiratory syndrome: analysis of 108 cases in Beijing.** Zhao CH, Guo YB, Wu H, Li XH, Guo XH, Jin RH, et al. Zhonghua yi xue za zhi. 2003;83(11):897-901.
195. **Lesion size changes in osteonecrosis of the femoral head: A long-term prospective study using MRI.** Zhao FC, Li ZR, Zhang NF, Wang BL, Sun W, Cheng LM, et al. International Orthopaedics. 2010;34(6):799-804.
196. **Description and clinical treatment of an early outbreak of severe acute respiratory syndrome (SARS) in Guangzhou, PR China.** Zhao Z, Zhang F, Xu M, Huang K, Zhong W, Cai W, et al. Journal of Medical Microbiology. 2003;52(8):715-20.
197. **Clinical analysis of 190 cases of outbreak with atypical pneumonia in Guangzhou in spring, 2003.** Zhao ZW, Zhang FC, Xu M, Huang K, Zhong WN, Cai WP, et al. Zhonghua yi xue za zhi. 2003;83(9):713-8.
198. **Clinical Characteristics of Children with Coronavirus Disease 2019 in Hubei, China.** Zheng F, Liao C, Fan QH, Chen HB, Zhao XG, Xie ZG, et al. Current medical science. 2020.
199. **Management and prevention of SARS in China.** Zhong N. Philosophical Transactions of the Royal Society B: Biological Sciences. 2004;359(1447):1115-6.
200. **Our strategies for fighting severe acute respiratory syndrome (SARS).** Zhong NS, Zeng GQ. Am J Respir Crit Care Med. 2003;168(1):7-9. <http://dx.doi.org/10.1164/rccm.200305-707OE>. Epub 2003 May 28.

201. **COVID-19 with spontaneous pneumomediastinum.** Zhou C, Gao C, Xie Y, Xu M. *The Lancet Infectious Diseases.* 2020;20(4):510.